

Product model: R3413



## R3413 Product Show



two-channel




Single channel

## Functions & Features

- 1、 Reasonable and reliable design, low noise, smooth operation and long service life;
- 2、 With function of opening doors automatically under power-off state to meet the need of fire-fighting passage;
- 3、 With functions of anti-tail, anti-reverse pass and so on;
- 4、 Card can be set "with memory" or "without memory" functions;
- 5、 With automatic reset function, i.e. after having access to the gate, the gate automatically restores to the locked state if not pass within the time set;
- 6、 With infrared anti-clip function (anti-clip when gate is open or running);
- 7、 Compatible with IC, ID card, scanning and face recognition,etc.
- 8、 Two modes of operation are available: open or closed.
- 9、 Various working modes are available, including two-way card reading and one-way card reading,etc.

## Product Size



## Parame-

<b>Size (L*W*H)</b>	1500*130*980mm
<b>Fuselage material</b>	$\delta=1.5\text{mm}$ No.4 polish stainless steel+titanium plating
<b>Diaphragm material</b>	10mm clear acrylic
<b>Baffle material</b>	10mm clear acrylic
<b>Pass width</b>	600mm
<b>Baffle interception height</b>	863mm
<b>Height of baffle from ground</b>	237mm
<b>Movement</b>	Horizontal servo movement
<b>Power supply</b>	24V 500W
<b>Input voltage</b>	AC100V~240V,50/60HZ
<b>Drive motor</b>	Brushless servo motor
<b>Pass rate</b>	Open 50 people/min; Usually closed 35 people/min
<b>Speed of opening and closing</b>	Adjustable from 0.5s to 1.5s
<b>Sensor pairs</b>	Light curtain infrared 24 points + Infrared reflection 4 pairs
<b>Clutch size</b>	60mm outer diameter
<b>Pilot lamp</b>	RGB light board+RGB light strip
<b>Communication mode</b>	RS485
<b>Controls</b>	Servo control system
<b>Noise</b>	$\leq 65\text{dB}$
<b>Temperature</b>	$-25^{\circ}\text{C}\sim +85^{\circ}\text{C}$
<b>Humidity</b>	$\leq 90\%$ No condensation
<b>Class of protection</b>	IP4X
<b>Environment</b>	Indoor and outdoor (outdoor with canopy)

Product model: R3413

## Case share

